




WiFi Tag Specifications

7.5 inch	Model	SETPW0750R_V1
	Dimensions (mm)	180*130*13
	Display technology	3 colors E-ink display tech
	Active display area (mm)	163.2*97.92
	Resolutions(pixels)	800x480
	Pixel size (mm)	0.204x0.204
	Pixel Colors	black/white/red
	Viewing angle	< 180°
	Operating temperature range	0 °C to 40 °C
	Battery	3000mAh(Rechargeable polymer)
	power supply interface	Type C
	Battery standby duration	One charge for one year
	Led and Button	1 × 3 colors LED & 1button
	communication mode	wifi b/g/n
	Wireless firmware update	yes
Support remote control	yes	
Support interface docking	yes	
10.2 inch	Model	SETPW1020R_V1
	Dimensions (mm)	237.9*176.9*13.5
	Display technology	3 colors E-ink display tech
	Active display area (mm)	215.5*143.68
	Resolutions (pixels)	960x640
	Pixel size (mm)	0.2245x0.2245
	Pixel Colors	black/white/red
	Viewing angle	< 180°
	Operating temperature range	0 °C to 40 °C
	Battery	3000mAh(Rechargeable polymer)
	power supply interface	Type C

Battery standby duration	One charge for one year
Led and Button	1 × 3 colors LED & 1button
communication mode	wifi b/g/n
Wireless firmware update	yes
Support remote control	yes
Support interface docking	yes

13.3 inch	Model	SETPW1330R_V1
-----------	-------	---------------




Dimensions (mm)	298*232*13.8
Display technology	3 colors E-ink display tech
Active display area (mm)	275.52*195.16
Resolutions (pixels)	960x680
Pixel size (mm)	0.287x0.287
Pixel Colors	black/white/red
Viewing angle	< 180°
Operating temperature range	0 °C to 40 °C
Battery	4000mAh(Rechargeable polymer)
power supply interface	Type C
Battery standby duration	One charge for one year
Led and Button	1 × 3 colors LED & 1button
communication mode	wifi b/g/n
Wireless firmware update	yes
Support remote control	yes
Support interface docking	yes

Remarkable Feature

1. Ultra low power consumption, One charge for one year.
2. Simple installation method without wiring.
3. real time online communication based on standard WiFi network (no need to deploy base stations)
4. E-ink display technology

System Structure:



Installation Method

Desk and adhesive bracket

7.5 inch stand (Desktop bracket + wall bracket)




10.2 inch stand (Desktop bracket + wall bracket)



13.3 inch stand (Desktop bracket + wall bracket)



Interface Docking Mode



Application Scenarios

Mainly used in hospitals, schools, office buildings, conference rooms, workstations and other scenes.

